

SNYDER OPTOMETRY

Informed Consent for TempSure™ Dry Eye, Lid Stye, and Wrinkle Treatment

Patient Name: _____

Date: _____

As a patient, it is important for you to understand the expected results and risks of radiofrequency skin treatment with the TempSure System. Please read this document carefully. Before signing this document, please ask your practitioner, or the consultant providing the RF treatment, about any aspect of this document, or the procedure, that you do not understand.

TempSure System equipment may present a hazard to patients with implanted devices or pacemakers. Please consult qualified medical personnel prior to being treated with radiofrequency equipment.

Since ongoing feedback by a patient during a procedure is required, if you have nerve insensitivity to heat anywhere in the treatment area or neutral pad area, you should not be treated with the TempSure System.

Inadequate or impaired feedback may lead to burns or injury. Ongoing feedback should be provided by you to the individual performing the treatment to avoid excessive discomfort.

TempSure System treatments have not been studied for use on pregnant patients, patients with autoimmune disease, diabetes, or herpes simplex.

TempSure System

TempSure System has been cleared by the FDA for the following:

NOTE: All patients are different and exact results of this medical and cosmetic procedure and treatments cannot be predicted or guaranteed.

- Non-ablative treatment of mild to moderate facial wrinkles and rhytids.
- Treatment for dry eye, and lid styes
- Elevating tissue temperature for selected medical conditions such as temporary relief of pain, muscle spasms, and increase in local circulation.

During Treatment

You may feel an electric shock similar to a static discharge in a dry environment when the electrode makes contact or is removed from the skin. A common comparison is the static shock you might feel when touching something after dragging your feet across carpeting. Beard stubble should be thoroughly removed prior to treatment as remaining stubble may accentuate shocks. If the eyelids are to be treated directly, you will have plastic, non-conductive eye shields covering your eyes.

All jewelry and makeup, including lotions, eyeliner and eye shadow should be removed from the treatment area prior to treatment.

Wrinkles on cut, wounded or infected skin should not be treated as this could promote infection and injury.

SNYDER OPTOMETRY

Slight discomfort may be experienced while undergoing treatment. Typically, the discomfort is mild and temporary during the procedure and localized within the treatment area. During the treatment you should feel warmth and heat and provide ongoing feedback to the individual performing the treatment. Therefore, no anesthetic (local, oral, or systemic) should be used prior to or during the treatment.

After Treatment

Studies indicate the possible side effects of TempSure System are usually treatment-site related and include mild discomfort during the procedure localized within the treatment area. Mild swelling and redness may occur which typically goes away within 2 to 24 hours.

Diligent protection from sun exposure and application of sunscreen for two to three weeks after treatment will minimize pigmentation changes.

A regimen to moisturize and soothe skin for one-week post-treatment is recommended.

There is the possibility that additional risk factors of radiofrequency skin treatments may be discovered. The results of performing RF wrinkle treatments in combination with other treatments is unstudied and unknown.

It has been explained to me that this is a medical and cosmetic procedure that is not covered by insurance. As mentioned before, there is no guarantee of results and no refund of payments for the procedure will be made.

My signature below signifies that all my questions have been answered by the treatment provider or consultant. I understand the risks, complications, expected results, and expense of the treatments. I have read and understand this document and give my consent to receive treatment with the TempSure System.

Social Media Consent

(Initial on Line)

_____ I hereby consent Snyder Optometry to photograph, videotape, or otherwise digitally record and use images and/or sound recordings of myself to use in any public media, including radio, television, internet, social media, print or in any of the organization's or its partners' publications, productions, or posts. I understand that the intended use of such images and information is solely for the purpose of advertising, marketing, fundraising and/or the promotional and public awareness purposes for the organization. I hereby waive any rights or interest in the images or recordings, as contemplated in this release.

Patient

Name _____

Signature _____

Date _____

Practitioner Name _____

Signature _____

Date _____

SNYDER OPTOMETRY

Client Pre-Treatment Instructions for TempSure™ Wrinkle Treatment

- Remove all makeup, including eye makeup, lotions or sun block and wash facial area prior to treatment. Any preparations left on the skin will act as impedance to the energy and will diminish the effects.
- Neurotoxins or fillers should be given post-treatment or a minimum of two weeks prior to the TempSure Treatment.
- For five to seven days prior to treatment, at the physician's discretion, avoid therapies that may cause erythema (redness) or irritation such as Retin-A or products containing isotretinoin, glycolic and or salicylic acid.
- The treatment area must be free of any open lesions or infections.
- For an optimum treatment, hydrate by drinking plenty of water or hydrating fluids several days in advance. Avoid alcohol if possible.

Client Post-Treatment Instructions for TempSure™ Wrinkle Treatment

Typically, clients may return to their normal activities after receiving a TempSure treatment. Please follow the medical advice of the physician regarding the care of your skin.

- Wash skin with tepid water and a gentle cleanser.
- If the skin is slightly pink or red in areas following the treatment, avoid hot water when washing or showering until any erythema (redness) has subsided.
- Makeup, preferably mineral-based, may be applied immediately post treatment.
- Soothing creams or moisturizers may be used.
- Use a sun block with an SPF of 30 or greater if going out into the sun to help prevent future sun damage. This treatment does not cause photosensitivity.

The practitioner will describe the nature and timing of skin improvement that may be noticed over time. If there are any further questions or concerns, contact the physician's office.